



150 Dodd Street SE
Marietta, GA. 30060

Phone: 770-973-6251
Fax: 678-401-3854

Email: info@mgs4u.com
Website: www.mgs4u.com

UG-174 Reducer for UHF Male (PL-259) and Type N Male for RG-174, RG-316, LMR-100A, and other 0.100 Inch OD Coax



Technical Data Sheet

This connector is made from a Solid Brass body that is precision machined and plated with Silver for superior performance and value. UG-174 Reducer for UHF Male (PL-259) and Type N Male (Best) allow our [7500-UHF](#) (PL-259) and [7303-N-400](#), which normally install onto LMR-400 (and similar) coax, to install onto RG-174, RG-316, LMR-100A, and other 0.100 Inch OD Coax.

Material Specifications

UG-174 Reducer for UHF Male (PL-259) and Type N Male		Part Number 7506-S
Description	Material	Plating
Body	Brass	Silver

Mechanical Specifications

Size	Dimension
Length	1.00 in (25.5 mm)
Width	0.43 in (11 mm)
Height	0.43 in (11 mm)
Weight	0.5 oz (14 g)


Environmental Specifications

Temperature	Spec
Operating Range	-65 to +165 deg C

Compliance Certifications (see product page for current documentation)

Availability Click the following link (or enter part number in the “SEARCH” bar at the top of any page of the website) to obtain additional part information including price, inventory and certifications: <https://mgs4u.com/product/ug-174-reducer-for-uhf-male-pl-259-and-type-n-male-for-0-100-inch-od-coax-best-7506-s/>

7/16-14UNEF



MGS MAX-GAIN SYSTEMS, INC.

Max-Gain Systems, Inc.
 150 Dodd Street SE, Marietta, GA. 30060
 Phone: (770) 973-6251 | Fax: (678) 401-3854
 Website: www.mgs4u.com | E-Mail: sales@mgs4u.com

TITLE: UG-174 Reducer for UHF Male (PL-259)
 and Type N Male for 0.100 Inch OD Coax

DRAWING NO: 7506-S
 FILE NO :

NO. DESCRIPTION	BRASS MATERIAL	SILVER FINISH	QTY	UNIT: mm	SCALE: .	UNLESS OTHERWISE SPECIFIED TOLERANCES			PART NO	DATE
						0.5-5 = ±0.2				
						5-30 = ±0.4				
						30-120 = ±0.6				
120-315 = ±1			APPROVED	DATE						
315-1000 = ±1.6										
1000-2000 = ±2.4					CHECKED	DATE				
DRAWN							DATE			
			1							